XOVICA INDUSTRIES

Dental Instruments &
General Surgery Instruments

Office Address: Zafarwal Rd, Near Faizan E Madihna Masjid,
Sialkot, Punjab 51310

Tel/Fax: +92 52 4581723
+92 339 000 7271

Email: info@xovicaind.com,
xovicaind2016@gmail.com

www.xovicaind.com

XOVICA
INDUSTRIES
www.xovicaind.com

www.xovicaind.com



Dental Instruments &
General Surgery Instruments

XOVICA
INDUSTRIES
www.xovicaind.com

ABOUT XOVICA COMPANY

Welcome to **XOVICA INDUSTRIES**, a global leader in the manufacture of dental instruments. With a steadfast commitment to quality and innovation, we provide dental professionals around the world with precision tools designed to enhance patient care.

Founded on the principles of excellence and integrity, **XOVICA INDUSTRIES** has established itself as a trusted name in the dental community. Our extensive product line includes surgical instruments, diagnostic tools, and hygiene products, all crafted with the most care and precision. We utilize cutting-edge technology and superior materials to ensure our instruments meet the highest industry standards.

What sets us apart is our dedication to our customers. We believe in building strong partnerships with dental practitioners, distributors, and educational institutions, understanding their unique needs and delivering tailored solutions. Our customer service team is always ready to assist, ensuring a seamless experience from inquiry to delivery.

As we expand our global footprint, we remain committed to sustain ability and ethical practices, striving to reduce our environmental impact while promoting health and safety in dental care.

At **XOVICA INDUSTRIES**, we are not just a manufacturer; we are your partners in achieving dental excellence. Join us in our mission to improve patient outcomes and elevate the standards of dental practice worldwide.

Thank you for choosing **XOVICA INDUSTRIES**. Together, we can create a healthier future for all.

With Profound Regards

C.E.O.
XOVICA INDUSTRIES

TABLE OF CONTENTS

01 Extracting Forceps Page 001 to 035

02 Scaler Settings Page 036 to 089

03 ROOT ELEVATORS Page 090 to 100

04 Surgery Instruments Page 101 to 135

05 Orthodontic Page 136 to 155

06 Dental Implant Page 156 to 174

07 Impression Tray Page 175 to 188

08 Hollowware Page 189 to 190

XOVICA
INDUSTRIES

www.xovicaind.com

ORTHODONTIC INSTRUMENTS

05



XOVICA
INDUSTRIES

www.xovicaind.com

- Щипцы для ортодонтии и протезирования
- Pinces pour l'orthodontie et la prothèse
- Zangen für Kieferorthopädie und Prothetik
- Щипці для ортодонтії та протезування
- Alicates para ortodoncia y prótesis
- كماشة لتقويم الأسنان بروسثيتيس




Xi-OD-001
Bracket Removing Pliers



Xi-OD-002
Bracket Removing Pliers



Xi-OD-003
Band removing pliers



Xi-OD-004
Band removers curved, Left and Right
Curved tips provide easy access and grip of band without excess retractor of cheek or tips



Xi-OD-005
Left



Xi-OD-006
Right Pliers for Bands
Right



Xi-OD-007
Johnson
Contouring Pliers
Johnson




Xi-OD-008
Reynolds
Contouring Pliers
Reynolds



Xi-OD-009
For band seating



Xi-OD-010
for incisors with convex beaks



Xi-OD-011
For bicuspids and molars
with concave beaks

- Щипцы для ортодонтии и протезирования
- Pinces pour l'orthodontie et la prothèse
- Zangen für Kieferorthopädie und Prothetik
- Щипці для ортодонтії та протезування
- Alicates para ortodoncia y prótesis
- كماشة لتقويم الأسنان بروسثيتيس



Xi-OD-012
Straight
Pliers ball hook crimping



Xi-OD-013
Angled
Pliers ball hook crimping



Xi-OD-014
Micro distal end cutters T.C
with safety hold

● Max. 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.46 mm to 0.64 mm (.018" to .025")
⊗ Max. 0.38 mm to 0.53 mm (.0155" to .0215")
⊠ Max. 0.53 mm to 0.64 mm (.021" to .025")



Xi-OD-015
Mini distal end cutters T.C
with safety hold

● Max. 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.46 mm to 0.64 mm (.018" to .025")
⊗ Max. 0.38 mm to 0.53 mm (.0155" to .0215")
⊠ Max. 0.53 mm to 0.64 mm (.021" to .025")



Xi-OD-016
Mini with long handles T.C
distal end cutters with safety hold

● Max. 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.46 mm to 0.64 mm (.018" to .025")
⊗ Max. 0.38 mm to 0.53 mm (.0155" to .0215")
⊠ Max. 0.53 mm to 0.64 mm (.021" to .025")



Xi-OD-017
Mini with extra long off-set handles T.C
distal end cutters with safety hold

● Max. 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.46 mm to 0.64 mm (.018" to .025")
⊗ Max. 0.38 mm to 0.53 mm (.0155" to .0215")
⊠ Max. 0.53 mm to 0.64 mm (.021" to .025")



Xi-OD-018
Distal end bending pliers

● Max. 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.56 mm to 0.71 mm (.022" to .028")



Xi-OD-019
Weingart mini
slim design for better accessability
in posterior and lingual areas



Xi-OD-020
Weingart Narrow
Narrow long tips for better
access to hard to reach areas



Xi-OD-021
Weingart Utility Pliers
Standard

XOVICA INDUSTRIES

- **Щипцы для ортодонтии и протезирования**
- **Pinces pour l'orthodontie et la prothèse**
- **Zangen für Kieferorthopädie und Prothetik**
- **Щипці для ортодонтії та протезування**
- **Alicates para ortodoncia y prótesis**
- **كماشة لتقويم الأسنان بروسثيتيس**



Xi-OD-022
Weingart Narrow
Slim and sleek design with long handles, for better access to posterior area, also suitable for lingual technique



Xi-OD-023
Micro Ligature cutters
.23 mm to .30 mm (.009" to .012")



Xi-OD-024
Mini Ligature cutters
.25 mm to .38 mm (.010" to .015")



Xi-OD-025
Wire bending and loop forming pliers, Ange
- 0.36 mm to 0.71 mm (.014" to .028")
- Max. 0.56 mm x 0.71 mm (.022" to .028")



Xi-OD-026
Wire cutting and loop forming pliers
Angel
- 0.36 mm to 0.50 mm (.014" to .020")
- Max. 0.41 mm x 0.56 mm (.016" to .022")



Xi-OD-027
Straight

How utility pliers
Standard
4 mm wide tips
- 0.30 mm to 0.50 mm (.012" to .020")
- Max. 0.56 mm x 0.71 mm (.022" to .028")

Xi-OD-028
Angled



Xi-OD-029
Straight

How utility pliers
Mini
2.4 mm wide tips
- 0.30 mm to 0.50 mm (.012" to .020")
- Max. 0.56 mm x 0.71 mm (.022" to .028")


Xi-OD-030
Angled

XOVICA INDUSTRIES

- **Щипцы для ортодонтии и протезирования**
- **Pinces pour l'orthodontie et la prothèse**
- **Zangen für Kieferorthopädie und Prothetik**
- **Щипці для ортодонтії та протезування**
- **Alicates para ortodoncia y prótesis**
- **كماشة لتقويم الأسنان بروسثيتيس**



Xi-OD-031
Tweed Loop forming pliers
Tweed
- 0.36 mm to 0.64 mm (.014" to .025")
- Max. 0.53 mm x 0.64 mm (.021" x .025")



Xi-OD-032
Tweed Loop forming pliers
Tweed
- 0.36 mm to 0.50 mm (.012" to .020")
- Max. 0.46 mm x 0.56 mm (.018" x .022")



Xi-OD-033
Nance Loop forming pliers
Nance
- 0.36 mm to 0.71 mm (.014" to .028")
- Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-034
De la Rose
Arch forming and contouring pliers
De la Rose
- 0.36 mm to 0.50 mm (.012" to .020")
- Max. 0.53 mm x 0.64 mm (.021" x .025")



Xi-OD-035
Jarabak
Light wire bending pliers
Jarabak
- 0.36 mm to 0.50 mm (.018" to .022")
- Max. 0.46 mm x 0.56 mm (.012" x .020")



Xi-OD-036
Light wire bending and loop forming pliers
- 0.36 mm to 0.50 mm (.012" to .020")
- Max. 0.41 mm x 0.56 mm (.016" x .022")



Xi-OD-037
Aderer
3-Jaw wire bending pliers
Aderer
- 0.36 mm to 0.76 mm (.014" to .030")
- Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-038
Lingual / Palatal arch forming pliers
- 0.76 mm to 0.30 mm (.091" to .036")



Xi-OD-039
Slim 0.64mm (.025")
wide tips
arch forming and torquing pliers
- 0.36 mm to 0.50 mm (.012" to .020")
- Max. 0.41 mm x 0.56 mm (.016" x .022")



Xi-OD-040
Angel 1.27mm (.050")
wide tips
arch forming and torquing pliers
- 0.36 mm to 0.56 mm (.012" to .022")
- Max. 0.53 mm x 0.64 mm (.021" x .025")



Xi-OD-041
Tweed / Angel
1.78mm (.070") wide tips
arch forming and torquing pliers
Tweed
- 0.36 mm to 0.71 mm (.012" to .028")
- Max. 0.56 mm x 0.71 mm (.022" x .028")

XOVICA INDUSTRIES

- **Щипцы для ортодонтии и протезирования**
- **Pinces pour l'orthodontie et la prothèse**
- **Zangen für Kieferorthopädie und Prothetik**
- **Щипці для ортодонтії та протезування**
- **Alicates para ortodoncia y prótesis**
- **كماشة لتقويم الأسنان بروسثيتيس**



Xi-OD-042
Mini head distal end cuter with safety hold, long handles fitted with un-breakble, corrosion resistant and durable stainless steel tips

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.46 mm x 0.64 mm (.018" x .025")
⊗ 0.38 mm to 0.53 mm (.0155" to .0215")
⊠ Max. 0.53 mm x 0.64 mm (.021" x .025")



Xi-OD-043
Hard wire cutter, 15° angled fitted with un-breakable, corrosion resistant and durable stainless steel tips

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.56 mm x 0.71 mm (.022" to .028")



Xi-OD-044
Soft wire and ligature cutter, Mini fitted with un-breakable, corrosion resistant and durable stainless steel tips

.25 mm to .38 mm (.010" to .015")



Xi-OD-045
Band removing pliers



Xi-OD-046
Band removing pliers with plastic tip



Xi-OD-047
Weingart
Utility pliers
Weingart

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.56 mm x 0.71 mm (.022" to .028")



Xi-OD-048
Standard distal end cutter with safety hold fitted with un-breakable, corrosion resistant and durable stainless steel tips

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.56 mm x 0.71 mm (.022" to .028")



Xi-OD-049
Mini head distal end cutter with safety hold fitted with un-breakable, corrosion resistant and durable stainless steel tips

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.46 mm x 0.64 mm (.018" x .025")
⊗ 0.38 mm to 0.53 mm (.0155" to .0215")
⊠ Max. 0.53 mm x 0.64 mm (.021" x .025")

05 PLIERS FOR ORTHODONTICS & PROSTHETIES

XOVICA INDUSTRIES

- **Щипцы для ортодонтии и протезирования**
- **Pinces pour l'orthodontie et la prothèse**
- **Zangen für Kieferorthopädie und Prothetik**
- **Щипці для ортодонтії та протезування**
- **Alicates para ortodoncia y prótesis**
- **كماشة لتقويم الأسنان بروسثيتيس**



Xi-OD-050
Distal end cutter with safety hold, mini head, long handles.
fitted with un-breakable, corrosion resistant and durable stainless steel tips

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.46 mm x 0.64 mm (.018" x .025")
⊗ 0.38 mm to 0.53 mm (.0155" to .0215")
⊠ Max. 0.53 mm x 0.64 mm (.021" x .025")




Xi-OD-051
Flush-cut distal end cutter with safety hold fitted with un-breakable, corrosion resistant and durable stainless steel tips

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.46 mm x 0.64 mm (.018" to .025")



Xi-OD-052
Soft wire and ligature cutter, Mini fitted with un-breakable, corrosion resistant and durable stainless steel tips

.25 mm to .38 mm (.010" to .015")



Xi-OD-053
Soft wire and ligature cutter, standard fitted with un-breakable, corrosion resistant and durable stainless steel tips

.25 mm to .38 mm (.010" to .015")



Xi-OD-054
Soft wire and ligature cutter, 15° angled fitted with un-breakable, corrosion resistant and durable stainless steel tips

.25 mm to .38 mm (.010" to .015")



Xi-OD-055
Soft wire and ligature cutter, 45° angled fitted with un-breakable, corrosion resistant and durable stainless steel tips

.25 mm to .38 mm (.010" to .015")



Xi-OD-056
Hard wire cutter, straight
Fitted with un-breakable, corrosion resistant and durable stainless steel tips

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-057
Hard wire cutter, 15° angled
Fitted with un-breakable, corrosion resistant and durable stainless steel tips

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.56 mm x 0.71 mm (.022" x .028")

Xi-OD-058
Hard wire cutter, 15° angled
Non-autocalavable

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.56 mm x 0.71 mm (.022" x .028")

XOVICA INDUSTRIES

- Щипцы для ортодонтии и протезирования
- Pinces pour l'orthodontie et la prothèse
- Zangen für Kieferorthopädie und Prothetik
- Щипці для ортодонтії та протезування
- Alicates para ortodoncia y prótesis
- كماشة لتقويم الأسنان بروسثيتيس



Xi-OD-059
Band removing pliers



Xi-OD-060
Bracket removing pliers angled



Xi-OD-061
Bracket removing pliers straight



Xi-OD-062
Bracket removing pliers with plastic tip



Xi-OD-063
Adhesive removing pliers



Xi-OD-064
Weingart-mini
Utility Pliers

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-065
Weingart
Utility Pliers

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-066
How Straight
Utility Pliers

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-067
Angled
Utility Pliers

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-068
Wire bending and loop forming pliers
Angled (Bird beak)

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max 0.56 mm x 0.71 mm (.022" x .028")

XOVICA INDUSTRIES

- Щипцы для ортодонтии и протезирования
- Pinces pour l'orthodontie et la prothèse
- Zangen für Kieferorthopädie und Prothetik
- Щипці для ортодонтії та протезування
- Alicates para ortodoncia y prótesis
- كماشة لتقويم الأسنان بروسثيتيس



Xi-OD-069
Light wire bending and loop forming pliers

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max 0.41 mm x 0.56 mm (.016" x .022")




Xi-OD-070
Light wire bending pliers with cutter fitted with hard metal tips

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max 0.46 mm x 0.56 mm (.018" x .022")



Xi-OD-071
Light wire bending and loop forming pliers with cutter

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max 0.46 mm x 0.56 mm (.018" x .022")



Xi-OD-072
Light wire bending and loop forming pliers, grooved tip

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max 0.46 mm x 0.56 mm (.018" x .022")



Xi-OD-073
Tweed
Loop forming pliers with cutter

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 0.53 mm x 0.64 mm (.021" x .025")



Xi-OD-074
Jarabak
Light wire bending pliers

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 046 mm x 0.56 mm (.018" x .022")



Xi-OD-075
Aderer
3-jaw wire bending pliers

● 0.30 mm to 0.50 mm (.012" to .020")
■ Max. 056 mm x 0.71 mm (.022" x .028")



Xi-OD-076
Ligature forming pliers

.25 mm to .38 mm (.010" to .015")



Xi-OD-077
Hollow-Chop
Archwire forming pliers,
concave and convex tips

● 0.30 mm to 0.71 mm (.012" to .028")
■ Max. 0.56 mm x 0.71 mm (.022" x .028")

XOVICA INDUSTRIES

- **Щипцы для ортодонтии и протезирования**
- **Pinces pour l'orthodontie et la prothèse**
- **Zangen für Kieferorthopädie und Prothetik**
- **Щипці для ортодонтії та протезування**
- **Alicates para ortodoncia y prótesis**
- **كماشة لتقويم الأسنان بروسثيتيس**



Xi-OD-078
Multi-purpose pliers, bird beak,
De la rosa and cutter in one

- 0.30 mm to 0.50 mm (.012" to .020")
- Max. 0.46 mm x 0.56 mm (.018" x .022")




Xi-OD-079
Cinch Back / tie back
Distal end bending pliers

- 0.30 mm to 0.50 mm (.012" to .020")
- Max. 0.56 mm x 0.71 mm (.022" x .028")




Xi-OD-080
Hammer head
Distal end bending pliers

- 0.30 mm to 0.50 mm (.012" to .020")
- Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-081
Nance
Loop forming pliers

- 0.36 mm to 0.71 mm (.014" to .028")
- Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-082
Detailing step pliers / Bayonet
bending pliers - 1mm

- 0.30 mm to 0.50 mm (.012" to .020")
- Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-083
Stop pliers V-Bebd - 1mm

- 0.30 mm to 0.50 mm (.012" to .020")
- Max. 0.43 mm x 0.56 mm (.017" x .028")



Xi-OD-084
Lingual / palatal arch forming plies

- 0.76 mm (.030") / 0.91 mm (.036")




Xi-OD-085
Torquing pliers set



Xi-OD-086
Tweed / angel
Rectangular arch forming and
torquing pliers

- 0.30 mm to 0.71 mm (.012" to .028")
- Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-087
Surgical ball hook crimping pliers,
angled



Xi-OD-088
Surgical ball hook crimping
pliers, straight

XOVICA INDUSTRIES

- **Щипцы для ортодонтии и протезирования**
- **Pinces pour l'orthodontie et la prothèse**
- **Zangen für Kieferorthopädie und Prothetik**
- **Щипці для ортодонтії та протезування**
- **Alicates para ortodoncia y prótesis**
- **كماشة لتقويم الأسنان بروسثيتيس**




Xi-OD-089
Adams
Wire bending pliers

- 0.30 mm to 0.81 mm (.014" to .032")
- Max. 0.56 mm x 0.71 mm (.022" x .028")




Xi-OD-090
Adams
Wire bending pliers

- 0.30 mm to 0.81 mm (.014" to .032")
- Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-091
Universal small
Wire bending and cutting pliers

- Bends: 0.9 mm (.036")
- Cuts: 0.7 mm (.028")



Xi-OD-092
Universal Dolphin style
Wire bending and cutting pliers

- Bends: 0.9 mm (.036")
- Cuts: 0.7 mm (.028")



Xi-OD-093
Universal Taper style
Wire bending and cutting pliers

- Bends: 0.9 mm (.036")
- Cuts: 0.7 mm (.028")



Xi-OD-094
Waldsachs
Wire bending and cutting pliers

- Bends: 0.9 mm (.036")
- Cuts: 0.7 mm (.028")



Xi-OD-095
Hard wire cutters T.C.

- 0.70 mm to 1.00 mm (.028" to .040")



Xi-OD-096
Hard wire cutters T.C.

- 0.70 mm to 1.00 mm (.028" to .040")



Xi-OD-097
Hard wire cutters T.C.

- 0.60 mm to 0.80 mm (.024" to .032")



Xi-OD-098
Hard wire cutters T.C.

- 0.60 mm to 0.80 mm (.024" to .032")



Xi-OD-099
Hard wire cutters

- 0.87 mm to 1.1 mm (.028" to .045")



Xi-OD-100
Hard wire cutters

- 0.87 mm to 1.1 mm (.028" to .045")

- **Щипцы для ортодонтии и протезирования**
- **Pinces pour l'orthodontie et la prothèse**
- **Zangen für Kieferorthopädie und Prothetik**
- **Щипці для ортодонтії та протезування**
- **Alicates para ortodoncia y prótesis**
- **كماشة لتقويم الأسنان بروسثيتيس**





Xi-OD-101
Aderer Clamp three jaw wire bending plier for contouring and bending wire up to .30"/.76mm.





Xi-OD-102
Bird beak plier for bending round, square and rectangle wire up to .30"/.76mm.






Xi-OD-103
Bird beak plier for light wire bending round, square and rectangular up to .016"/0.41mm.






Xi-OD-104
Double Rounded jaw bending pliers, hooks and wire up to .020"/0.51mm.





Xi-OD-105
Adams pliers for hooks and bending wire up to .030"/0.76mm.







Xi-OD-106
Johnson pliers for crown band contouring





Xi-OD-107
Falcon beak contouring plier.





Xi-OD-108
For placement and removal of arch wires, pins and other auxiliaries.





Xi-OD-109
For placement and removal of arch wires, pins and other auxiliaries in angle design





Xi-OD-110
contouring Plier.



Xi-OD-111
Bending plier. In order to skirt molares bands. With grooved. Recommended wire. 016", 018" and 022" 0.41mm, 0.46mm and 0.56mm

- **Щипцы для ортодонтии и протезирования**
- **Pinces pour l'orthodontie et la prothèse**
- **Zangen für Kieferorthopädie und Prothetik**
- **Щипці для ортодонтії та протезування**
- **Alicates para ortodoncia y prótesis**
- **كماشة لتقويم الأسنان بروسثيتيس**






3 mm
4 mm
5 mm
6 mm

Xi-OD-112
Loop forming in four lenght 3,4,5 & 6 mm wire capacity 0.22", 56mm.






Xi-OD-113
Arch bending plier design for convenient handling of square or rectangular wire, .020" / 0.51mm.



Xi-OD-114
In order to skirt bands and crowns.



Xi-OD-115
Wires up to .020" / 0.7mm.





Xi-OD-116
Round and concave plier for loop forming and banding wire up to .20" / .051mm.





Xi-OD-117
Bending for round square or rectangular wire up to 0.30"/0.76mm





Xi-OD-118
for double back and triple back bands in 0.30" / .76mm & 0.36" / .91mm lingual arch wires.





Xi-OD-119
Detailing step plier double-sided offset beak permits bayonet bends. Creates right hand or left hand step-up or stepdown at ½, ¾, or 1mm increments.



Xi-OD-120
"V" bend stop special design makes 1mm "v" bends to shorten archwires or provide a positive stop. Excellent for placing stops in nitanium wires. For round or rectangular wires up to .025"



Xi-OD-121
Angle how plier efficient utility plier with serrated beaks for a firm grip. 45 angled tips to access hand ro reach areas.

Xi-OD-122
Weingardt plier serrated tips hold wires firmly at a convenient working angle. Tapered beaks fit easily between brackets and hard to reach areas. Our most popular utility plier.

XOVICA INDUSTRIES

- **Щипцы для ортодонтии и протезирования**
- **Pinces pour l'orthodontie et la prothèse**
- **Zangen für Kieferorthopädie und Prothetik**
- **Щипці для ортодонтії та протезування**
- **Alicates para ortodoncia y prótesis**
- **كماشة لتقويم الأسنان بروسثيتيس**





Xi-OD-123
Nance loop closing plier, for bending of stop loops and adams' clasps.
Wire up to .022" x .028", 0.7mm.



Xi-OD-124
Plier for double bars.



Xi-OD-125
Hard wire cutter up to .022" x .028" .56mm x 71mm.



Xi-OD-126
Heavy duty wire cutter unique joint and extremely sturdy cutting edge make it ideal for cutting face bows and other large diameter wires up to .080".
This cutter in not autoclavable.



Xi-OD-127
Extra-heavy wire cutter heavy duty to cut all archwires and retainer wires up to .060".
An excellent lab plier for cutting heavy retainer wires.





Xi-OD-128
E-Z Ligature Placer



Xi-OD-129
T.C
angled direct bond bracket remover



Xi-OD-130
T.C
Distal End Cutter
Safety hold is ideal for cutting wires within the patient's mouth.



Xi-OD-131
T.C
Direct bonding bracket remover (wide) plier



Xi-OD-132
T.C
Pin and ligature cutter



Xi-OD-133
T.C
Direct bracket remover

05 PLIERS FOR ORTHODONTICS & PROSTHETIES

XOVICA INDUSTRIES

- **Щипцы для ортодонтии и протезирования**
- **Pinces pour l'orthodontie et la prothèse**
- **Zangen für Kieferorthopädie und Prothetik**
- **Щипці для ортодонтії та протезування**
- **Alicates para ortodoncia y prótesis**
- **كماشة لتقويم الأسنان بروسثيتيس**





Xi-OD-138
Angle
Wire bending and loop forming pliers
- 0.36 mm to 0.71 mm (.014" to .028")
- Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-134
Aderer, small
Wire bending and loop forming pliers
- 0.36 mm to 0.50 mm (.014" to .020")
- Max. 0.53 mm x 0.64 mm (.021" x .025")



Xi-OD-139
Angle
Wire bending and loop forming pliers
- 0.36 mm to 0.71 mm (.014" to .028")
- Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-135
Aderer, medium
Wire bending and loop forming pliers
- 0.36 mm to 0.71 mm (.014" to .028")
- Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-140
Adams, small
Wire bending and loop forming pliers
- 0.36 mm to 0.71 mm (.014" to .028")
- Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-136
Schwarz, small
Wire bending and loop forming pliers
- Max. 0.50 mm (.020")



Xi-OD-141
Adams, small
Wire bending and loop forming pliers
- 0.36 mm to 0.71 mm (.014" to .028")
- Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-137
Schwarz, medium
Wire bending and loop forming pliers
- Max. 0.70 mm (.028")



Xi-OD-142
Wire bending and loop forming pliers
- 0.36 mm to 0.71 mm (.014" to .028")
- Max. 0.56 mm x 0.71 mm (.022" x .028")

XOVICA INDUSTRIES

- Щипцы для ортодонтии и протезирования
- Pinces pour l'orthodontie et la prothèse
- Zangen für Kieferorthopädie und Prothetik
- Щипці для ортодонтії та протезування
- Alicates para ortodoncia y prótesis
- كماشة لتقويم الأسنان بروسثيتيس





Xi-OD-147
Schwarz Graduated
Wire bending and loop forming pliers
● Max. 0.70 mm (.028")



Xi-OD-143
Young
Wire bending and loop forming pliers
● 0.36 mm to 0.71 mm (.014" to .028")
■ Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-148
Schwarz, large
Wire bending and loop forming pliers
● Max. 0.70 mm (.028")



Xi-OD-144
Adams, large
Wire bending and loop forming pliers
● 0.36 mm to 0.81 mm (.014" to .032")
■ Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-149
Peeso
Wire bending and loop forming pliers
● Max. 0.70 mm (.028")



Xi-OD-145
Adams, large
Wire bending and loop forming pliers
● 0.36 mm to 0.81 mm (.014" to .032")
■ Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-150
Peeso
Wire bending and loop forming pliers
● Max. 0.70 mm (.028")



Xi-OD-146
Aderer, large
Wire bending and loop forming pliers
● 0.50 mm to 0.91 mm (.020" to .036")
■ Max. 0.56 mm x 0.71 mm (.022" x .028")



Xi-OD-151
Wire bending and loop forming pliers
● 0.36 mm to 0.71 mm (.014" to .028")
■ Max. 0.56 mm x 0.71 mm (.022" x .028")


05 PLIERS FOR ORTHODONTICS & PROSTHETIES

XOVICA INDUSTRIES

- Щипцы для ортодонтии и протезирования
- Pinces pour l'orthodontie et la prothèse
- Zangen für Kieferorthopädie und Prothetik
- Щипці для ортодонтії та протезування
- Alicates para ortodoncia y prótesis
- كماشة لتقويم الأسنان بروسثيتيس



Xi-OD-152
Falcon
Elastomeric Ligature Placing
Forceps With Groove
120 mm



Xi-OD-157 Str.
Xi-OD-158 Cvd.
Smaha
Elastomeric ligature
placing forceps
140 mm



Xi-OD-153 Straight
Xi-OD-154 Curved
Elastomeric ligature placing
forceps with groove
Falcon 120 mm



Xi-OD-159
Ligature Pliers T.C
With Tungsten Carbide Inserts
Falcon 140 mm



Xi-OD-155
Elastomeric ligature placing
forceps with groove
Falcon 140 mm



Ligature Pliers
Falcon 140 mm



Xi-OD-156
Elastomeric ligature placing
forceps with groove
Falcon 140 mm



Xi-OD-160

Xi-OD-161

Xi-OD-162

- Щипцы для ортодонтии и протезирования
- Pinces pour l'orthodontie et la prothèse
- Zangen für Kieferorthopädie und Prothetik
- Щипці для ортодонтії та протезування
- Alicates para ortodoncia y prótesis
- كماشة لتقويم الأسنان بروسثيتيس

CUTTERS



Xi-OD-163
Hard
Wire Cutter 15



Xi-OD-167
Mini Pin &
Ligature Cutter



Xi-OD-164
Distal End Cutter
Flush Cut



Xi-OD-168
Hard Wire Cutter
Straight



Xi-OD-165
Universal Cut & Hold
Distal End Cutter



Xi-OD-169
Micro-Mini Pin &
Ligature Cutter



Xi-OD-166
Pin & Ligature
Cutter




Xi-OD-170
Cutter

- Щипцы для ортодонтии и протезирования
- Pinces pour l'orthodontie et la prothèse
- Zangen für Kieferorthopädie und Prothetik
- Щипці для ортодонтії та протезування
- Alicates para ortodoncia y prótesis
- كماشة لتقويم الأسنان بروسثيتيس

Cutter, utility pliers & wire forming pliers




Xi-OD-171
Weingart Pliers



Xi-OD-172
Slim Weingart
Pliers



Xi-OD-173
How Pliers
Straight




Xi-OD-174
How Pliers Offset



Xi-OD-175
Band seating Pliers



Xi-OD-176
Adhesive
Removing Pliers




Xi-OD-177
Posterior Band Removing
Pliers - Long

Xi-OD-178
Posterior Band Removing
Pliers - Short



Xi-OD-179
Bird Beak Pliers



Replacement tip and
hex key included.

Xi-OD-180
Omega Loop
Forming Pliers

XOVICA INDUSTRIES

- Щипцы для ортодонтии и протезирования
- Pinces pour l'orthodontie et la prothèse
- Zangen für Kieferorthopädie und Prothetik
- Щипці для ортодонтії та протезування
- Alicates para ortodoncia y prótesis
- كماشة لتقويم الأسنان بروسثيتيس



Xi-OD-181
Three Jaw Pliers



Xi-OD-185
Jarabak Pilers



Xi-OD-182
Light Wore Bird Beak
Pliers with Groove



Xi-OD-186
Hollow Chop
Contouring Pliers



Xi-OD-183
Tweed loop
Forming Pliers



Xi-OD-187
Lingual Arch
Forming Pliers



Xi-OD-184
Arch Bending Pliers




Xi-OD-188
Rectangular Arch
Bending Pliers


XOVICA INDUSTRIES

- Щипцы для ортодонтии и протезирования
- Pinces pour l'orthodontie et la prothèse
- Zangen für Kieferorthopädie und Prothetik
- Щипці для ортодонтії та протезування
- Alicates para ortodoncia y prótesis
- كماشة لتقويم الأسنان بروسثيتيس


CUTTER, UTILITY PLIERS & WIRE FORMING PLIERS



Xi-OD-189
Elastomeric separator
placing pliers
160 mm



Xi-OD-192
Elastomeric separator
placing pliers
165 mm



Xi-OD-190
Elastomeric separator
placing pliers
165 mm



Xi-OD-193
Coon
Ligature Tying Forceps



Xi-OD-191
Elastomeric separator
placing pliers
155 mm



Xi-OD-194
Steiner
Ligature Tying Forceps



Xi-OD-195
Elastomeric ligature removing tweezers
for easy removal of elastomeric ligatures